







Class	LRS № 100 A1 № LMC UMS	5			
Principal Dimensions	Length overall Length p.p. Breadth moulded Breadth extreme Summer draft Draft "open sailing"		145.89 134.00 28.30 28.43 8.24 7.02	m m m m	
Deadweight	Summer (sea water)		13,740	mton	
Tonnage	Into GT NT	ernational 16,341 4,902	Panama 16,352 13,473		Suez 16,081 12,642
Capacity	Lowerhold Tween deck		7,517 12,391		
Floor space	Weather deck Tween deck Tank top		3,067 2,275 1,344	m^2	
Hatch openings	Weather deck Tween deck		110.5 x 20.6 67.0 x 20.0		
Heights	Tween deck Lower hold Total hold		5.38 5.42 12.25	m	
Allowable loads	Weather deck hatch cover with pillars Tween deck hatch covers with pillars Tank top	S	15.0 5.0 15.0	t/m ² t/m ² t/m ² t/m ²	
Cranes	Combinable Situated on starboard side Fitted with trolley)	1,400 2 x 700 2 x 25	mt	SWL SWL SWL
Ramp	Position Dimensions Capacity Working height		stern 20.3 x 7.6 2,500 2 - 3.5	mt	
Main engine	2 x Hitachi Sulzer 6ZAL 40 Bowthruster Service speed)	2 x 3,840 760 14.75	kW	at draft 6.00 m
Container capacity			1,050	TEU	

HAPPY BUCCANEER

Happy Buccaneer Amsterdam The Netherlands 1984

These particulars are believed to be correct, but without guarantee, and they must not be used as basis for Charter Parties or contracts without Owners' explicit written authority.



